Claims

- [c1] What is claimed is:
 - 1.A method for scaling a digital picture to generate a scaled picture comprising following steps:
 - (a)scaling a portion of the digital picture instead of the whole digital picture in a first direction;
 - (b)scaling part of the data produced in step (a) in a second direction; and
 - (c)repeating steps (a) and (b) to form the scaled picture.
- [c2] 2.The method of claim 1 wherein steps (a) and (c) are performed by using an N-tap filter where N is an even integernatural number.
- [c3] 3.The method of claim 1 wherein the first direction is a horizontal direction, and the second direction is a vertical direction.
- [c4] 4.The method of claim 1 wherein the first direction is a vertical direction, and the second direction is a horizontal direction.
- [c5] 5.The method of claim 1 further comprising step (d): initializing a buffer used for storing the data produced by step (a).

- [06] 6.The method of claim 5 wherein step (d) comprises mirroring part of the digital picture scaled in step (a).
- [c7] 7.The method of claim 1 further comprising before scaling a last portion of the digital picture in the second direction, mirroring part of the digital picture scaled in step (a).
- [08] 8.The method of claim 1 wherein step (b) is performed by using all of the data produced in step (a).
- [09] 9.The method of claim 1 further comprising removing part of the digital picture before performing steps (a) and (b) when a scaling factor is 2^k wherein k is a natural number.

[c10]

- [c11] 10.A method for scaling a digital picture comprising following steps:
 - (a)inputting a source picture to a source memory;
 - (b)providing a first buffer and a second buffer;
 - (c)determining scaling factors;
 - (d)generating initial data in the first buffer and second buffer;
 - (e)transferring a portion data of the digital picture from the source memory to the first buffer;

- (f)using a filter to scale the data in the first buffer in a first direction and storing the scaled data in the second buffer;
- (g)using the filter to scale the data in the second buffer in a second direction and storing the scaled data in a destination memory; and
- (h)outputting a scaled picture from the destination memory.
- [c12] 11.The method of claim 10 wherein the filter is an N-tap filter where N is an even integernatural number.
- [c13] 12. The method of claim 10 wherein the first direction is a horizontal direction, and the second direction is a vertical direction.
- [c14] 13. The method of claim 10 wherein the first direction is a vertical direction, and the second direction is a horizontal direction.
- [c15] 14.The method of claim 10 wherein step (d) comprises mirroring part of the digital picture.
- [c16] 15. The method of claim 10 further comprising before scaling a last portion of the digital picture in the second direction, mirroring part of the digital picture scaled in step (f).

[c17] 16.The method of claim 10 further wherein step (e) comprises removing part of the digital picture for downscaling.